

CLINICAL AND EXPERIMENTAL IMMUNOLOGY

CONTENTS

Vol. 82 No. 1 October 1990

J. S. H. GASTON: Editorial Review: How does HLA-B27 confer susceptibility to inflammatory arthritis?	1	E. C. EBERT: Intra-epithelial lymphocytes: interferon-gamma production and suppressor/cytotoxic activities	81
G. VANHAM, L. KESTENS, P. GIGASE, R. COLEBUNDERS, M. VANDENBRUAENE, L. BRIJS & J. L. CEUPPENS: Evidence for circulating activated cytotoxic T cells in HIV-infected subjects before the onset of opportunistic infections	3	S. J. OWEN, C. M. WATSON & A. N. DAVISON: Degradation of human myelin <i>in vitro</i> by leucocytes from patients with multiple sclerosis	86
F. MÜLLER, H. ROLLAG & S. S. FRÖLAND: Reduced oxidative burst responses in monocytes and monocyte-derived macrophages from HIV-infected subjects	10	C. H. CARBONETTO, E. L. MALCHIODI, M. CHIARAMONTE, E. DURANTE DE ISOLA, C. A. FOSSATI & R. A. MARGNI: Isolation of a <i>Trypanosoma cruzi</i> antigen by affinity chromatography with a monoclonal antibody. Preliminary evaluation of its possible applications in serological tests	93
A. TOUBERT, M. HAMACHI, C. RAFFOUX, M. S. PARK & D. T. Y. YU: Epitope mapping of an HLA-B27 monoclonal antibody that also reacts with a 35-kD bacterial outer-membrane protein	16	A. E. BROWN, H. K. WEBSTER, P. TEJA-ISAVADHARM & D. KEERATITHAKUL: Macrophage activation in falciparum malaria as measured by neopterin and interferon-gamma	97
E. J. TER BORG, G. HORST, P. C. LIMBURG & C. G. M. KALLENBERG: Changes in plasma levels of interleukin-2 receptor in relation to disease exacerbations and levels of anti-dsDNA and complement in systemic lupus erythematosus	21	É. PÓCSIK, R. MIHALIK, É. GYÓDI, M. RÉTI, K. PÁLÓCZI, G. G. PETRÁNYI & M. BENCZÚR: Activation of lymphocytes after platelet allotransfusion possessing only class I MHC product	102
A. L. MILLER, H. DANG & N. TALAL: Accelerated expression of anti-Sm and Y2 idiotype differ in dependence on T cell subsets in MRL/+ mice	27	M. R. ZOCCHI, A. POGGI, S. HELTAI, A. VILLA, L. INVERARDI, A. VICARI & M. G. SABBADINI: Signal requirements for activation of leukaemic T cells from a chronic lymphocytic leukaemia (T-CLL)	108
D. P. WU, S. GILKESON, J. ARMITAGE, C. F. REICH & D. S. PISETSKY: Selective recognition of DNA antigenic determinants by murine monoclonal anti-DNA antibodies	33	G. PASTORELLI, F. ROUSSET, J. PÈNE, C. PERONNE, M. G. RONCAROLO, P. A. TOVO & J. E. DE VRIES: Cord blood B cells are mature in their capacity to switch to IgE-producing cells in response to interleukin-4 <i>in vitro</i>	114
P. LASSALLE, P. GOSSET, V. GRUART, L. PRIN, M. CAPRON, G. LAGRUE, J. P. KUSNIERZ, A. B. TONNEL & A. CAPRON: Presence of antibodies against endothelial cells in the sera of patients with episodic angioedema and hypereosinophilia	38	G. PASTORELLI, M. G. RONCAROLO, C. PERONNE, P. A. TOVO & J. E. DE VRIES: The capacity of interleukin-4 to induce <i>in vitro</i> IgE synthesis by B cells of patients with common variable immunodeficiency	120
E. HOUSSEIN, S. POGU, M. OUARY & P. SAI: Monoclonal autoantibodies from insulin-dependent diabetic patients: autoantibodies against β -cell surface or cytoplasmic antigens	44	H. TAGUCHI, M. KANOH, N. TAKUBO, S. KADOTA, K. KANAZAWA, T. SHIBATA & S. UTSUMI: <i>In vitro</i> IgG rheumatoid factor production by CD5-negative murine B cells in response to immune complexes of lipopolysaccharide	128
G. DIGHIERO, P. LYMBERI, C. MONOT & N. ABUAF: Sera with levels of anti-smooth muscle and anti-mitochondrial antibodies frequently bind to cytoskeleton proteins	52	M. EMURA, S. NAGAI, M. TAKEUCHI, M. KITAICHI & T. IZUMI: <i>In vitro</i> production of B cell growth factor and B cell differentiation factor by peripheral blood mononuclear cells and bronchoalveolar lavage T lymphocytes from patients with idiopathic pulmonary fibrosis	133
C. ROSS, M. B. HANSEN, T. SCHYBERG & K. BERG: Autoantibodies to crude human leucocyte interferon (IFN), native human IFN, recombinant human IFN- α 2b and human IFN- γ in healthy blood donors	57	G. P. SANDILANDS, J. E. CROCKER, M. A. McMILLAN, A. M. OWSIANKA, H. MARSDEN, B. J. R. JUNOR, J. D. BRIGGS & R. N. M. MACSWEEN: Isolation and characterization of a high molecular weight lymphocyte Fc receptor-blocking factor associated with renal allograft survival	140
S. MATSUBAYASHI, F. AKASU, Y. KASUGA, K. SNOW, E. KEYSTONE & R. VOLPÉ: <i>In vitro</i> production of interferon-gamma by peripheral blood from patients with Graves' disease, Hashimoto's thyroiditis and rheumatoid arthritis	63	M. IZQUIERDO, M. A. BALBOA, J. M. FERNÁNDEZ-RAÑADA, A. FIGUERA, A. TORRES, A. IRIONDO & M. LÓPEZ-BOTET: Relation between the increase of circulating CD3 ⁺ CD57 ⁺ lymphocytes and T cell dysfunction in recipients of bone marrow transplantation	145
A. P. WEETMAN, M. FREEMAN & B. P. MORGAN: Thyroid follicular cell function after non-lethal complement membrane attack	69	J. P. FLEXMAN, L. S. MANNING & B. W. S. ROBINSON: <i>In vivo</i> boosting of lung natural killer and lymphokine-	
Y. R. MAHIDA, A. GALLAGHER, L. KURLACK & C. J. HAWKEY: Plasma and tissue interleukin-2 receptor levels in inflammatory bowel disease	75		

activated killer cell activity by interleukin-2: comparison of systemic, intrapleural and inhalation routes	151	against neutrophil cytoplasmic antigens is useful in monitoring disease activity in systemic vasculitides	244
J. M. BECK, V. V. SUZARA & J. SHELLITO: Chronic oral administration of dexamethasone to rats increases cytotoxicity, but not interleukin-1 elaboration, by alveolar macrophages	157	T. KOURLI, J. CROWLEY, K. AHO, T. PALOSUO, H. ISOMÄKI, R. VON ESSEN, M. HELIÖVAARA, D. CARSON & J. H. VAUGHAN: Occurrence of two germline-related rheumatoid factor idiotypes in rheumatoid arthritis and in non-rheumatoid seropositive individuals	250
T. W. JUNGI, M. BRIC, P. KUHNERT, M. O. SPYCHER, F. LI & U. E. NYDEGGER: Effect of IgG for intravenous use on Fc receptor-mediated phagocytosis by human monocytes	163	H. TSUKAMOTO, A. UEDA, K. NAGASAWA, Y. TADA & Y. NIHO: Increased production of the third component of complement (C3) by monocytes from patients with systemic lupus erythematosus	257
A. KLEIN, A. W.-L. CHAN, B. U. CAPLAN & A. MALKIN: NADP ⁺ reduction by human lymphocytes	170	B. NILSSON, K. NILSSON EKDAHL, M. SVARVARE, A. BJELLE & U. R. NILSSON: Purification and characterization of IgG immunoglobulins from patients with systemic lupus erythematosus: implications for a regulatory function	262
M. K. HAYNES, J. MILLER & L. FULLER: CD8 ⁺ /DR ⁺ gamma cells inhibit autologous mixed lymphocyte reaction	174	R. M. TERMAAT, K. BRINKMAN, J. C. NOSSENT, A. J. G. SWAAK, R. J. T. SMEENK & J. H. M. BERDEN: Anti-heparan sulphate reactivity in sera from patients with systemic lupus erythematosus with renal or non-renal manifestations	268
J. SMITH-RAVIN, J. SPENCER, P. C. L. BEVERLEY & P. G. ISAACSON: Characterization of two monoclonal antibodies (UCL4D12 and UCL3D3) that discriminate between human mantle zone and marginal zone B cells	181	N. FUKUMA, S. M. MCLACHLAN, B. RAPOPORT, J. GOOD-ACRE, S. L. MIDDLETON, D. I. W. PHILLIPS, C. A. S. PEGG & B. REES SMITH: Thyroid autoantigens and human T cell responses	275
Vol 82 No 2 November 1990		J. A. AARLI, K. STEFANSSON, L. S. G. MARTON & R. L. WOLLMANN: Patients with myasthenia gravis and thymoma have in their sera IgG autoantibodies against titin	284
E. J. WAWRZYNCZAK & A. J. S. DAVIES: Editorial Review: Strategies of antibody therapy of cancer	189	R. KLEIN & P. A. BERG: Anti-mitochondrial antibodies (anti-M7) in heart diseases recognize epitopes on bacterial and mammalian sarcosine dehydrogenase	289
F. FARACE, C. MATHIOT, M. BRANDELY, T. TURSZA, T. DORVAL, P. POUILLART, F. TREIBEL, T. HERCEND & W. H. FRIDMAN: Phase I trial with recombinant interleukin-2 (rIL-2): immune activation by rIL-2 alone or following pretreatment with recombinant interferon-gamma	194	B. ROUSSEL, J. ARVIEUX, M. C. JACOB, P. LORIMIER, E. CAVIGIOLI & C. MICOVIN: A human monoclonal IgM with autoantibody activities against heparan sulphate and the mitotic spindle	294
A. M. P. MONTGOMERY, M. G. WING & P. J. LACHMANN: A novel strategy for targeting CD4 ⁺ PPD-reactive T cells against tumour cells using PPD monoclonal antibody heteroconjugates	200	N. A. GRANHOLM & T. CAVALLO: Prolonged circulation of immune complexes due to various altered immune functions contributes to nephritis in MRL/lpr mice	300
M. G. WING, A. M. P. MONTGOMERY, C. HARLEY & P. J. LACHMANN: Cytostasis of different tumours by a murine PPD-reactive CD4 ⁺ T lymphocyte clone is mediated by interferon-gamma and tumour necrosis factor alone or synergistically	208	M. A. CREMER, A. S. TOWNES & A. H. KANG: Adjuvant-induced arthritis in rats. Evidence that autoimmunity to homologous collagens types I, II, IX and XI is not involved in the pathogenesis of arthritis	307
M. CHIRON, J. P. JAFFERZOU, P. CARAYON, C. BORDIER, F. ROUBINET, C. XAVIER, M. BRANDELY & G. LAURENT: Induction and increase of HLA-DR antigen expression by immune interferon on ML-3 cell line enhances the anti-HLA-DR immunotoxin activity	214	R. M. TEN, G. M. KEPHART, M. POSADA, I. ABAITUA, L. SOLDEVILLA, E. M. KILBOURNE, S. L. DUNNETTE & G. J. GLEICH: Participation of eosinophils in the toxic oil syndrome	313
G. P. HOLLAND, N. HOLLAND & M. V. STEWARD: Interferon-gamma potentiates antibody affinity in mice with a genetically controlled defect in affinity maturation	221	T. OGAWA, Y. KUSUMOTO, S. HAMADA, J. R. MCGHEE & H. KIYONO: <i>Bacteroides gingivalis</i> -specific serum IgG and IgA subclass antibodies in periodontal diseases	318
G. FRAMPTON, D. R. W. JAYNE, G. J. PERRY, C. M. LOCKWOOD & J. S. CAMERON: Autoantibodies to endothelial cells and neutrophil cytoplasmic antigens in systemic vasculitis	227	F. FORTUNE, J. WALKER & T. LEHNER: The expression of $\gamma\delta$ T cell receptor and the prevalence of primed, activated and IgA-bound T cells in Behçet's syndrome	326
K. N. LAI, D. R. W. JAYNE, A. BROWNLEE & C. M. LOCKWOOD: The specificity of anti-neutrophil cytoplasm autoantibodies in systemic vasculitides	233	J. M. DEVER, C. L. GECZY, D. DECLARLE, J. H. SKERRITT & S. A. KRILLIS: Macrophage procoagulant activity as an assay of cellular hypersensitivity to gluten peptides in coeliac disease	333
J. A. SAVIGE, M. GALLICCHIO, T. GEORGIU & D. J. DAVIES: Diverse target antigens recognized by circulating antibodies in anti-neutrophil cytoplasm antibody-associated renal vasculitides	238	Y. K. YOO, J. B. GAVALER, K. CHEN, T. L. WHITESIDE & D. H. VAN THIEL: The effect of recombinant interferon-alpha on lymphocyte subpopulations and HLA-DR expression on liver tissue of HBV-positive individuals	338
W. EGNER & H. M. CHAPEL: Titration of antibodies			

F. WAGNER, C. ASSEMI, C. LERSCH, R. HART & M. CLASSEN: Soluble interleukin-2 receptor and soluble CD8 in liver cirrhosis and obstructive jaundice	344	D. M. KEMENY & D. DIAZ-SANCHEZ: Editorial Review: Can persistent IgE responses be suppressed?	423
C. CASTAGNOLI, M. STELLA, G. MAGLIACANI, S. TEICH ALASIA & P. RICHIARDI: Anomalous expression of HLA class II molecules on keratinocytes and fibroblasts in hypertrophic scars subsequent to thermal injury	350	N. SHERON, J. N. LAU, J. HOFFMAN, R. WILLIAMS & G. J. N. ALEXANDER: Dose-dependent increase in plasma interleukin-6 after recombinant tumour necrosis factor infusion in humans	427
K. SAYAMA, S. SHIRAIISHI, Y. SHIRAKATA, Y. KOBAYASHI, N. OKADA, H. OKADA & Y. MIKI: Characterization of homologous restriction factor (HRF20) in human skin and leucocytes	355	K. T. HAYGLASS & W. STEFURA: Isotype-selective abrogation of established IgE responses	429
R. PERRICONE, C. DE CAROLIS, C. MORETTI, E. SANTUARI, G. DE SANCTIS & L. FONTANA: Complement, complement activation and anaphylatoxins in human ovarian follicular fluid	359	K. LÖVGREN, H. HÄBERG & B. MOREIN: An experimental influenza subunit vaccine (iscom): induction of protective immunity to challenge infection in mice after intranasal or subcutaneous administration	435
M. I. PARK, S. S. EDWIN, J. R. SCOTT & D. WARE BRANCH: Interpretation of blocking activity in maternal serum depends on the equation used for calculation of mixed lymphocyte culture results	363	R. NILSSON, L. LINDGREN & P. LILLIEHORN: Extracorporeal immunoadsorption therapy on rats. <i>In vivo</i> depletion of specific antibodies	440
K. HUYGEN, K. PALFLIET, F. JURION, C. LENOIR & J.-P. VAN VOOREN: Antibody repertoire against culture filtrate antigens in wild house mice infected with <i>Mycobacterium bovis</i> BCG	369	K. TAKAI, K. JOJIMA, J. SAKATOKU & T. FUKUMOTO: Effects of FK506 on rat thymus: time-course analysis by immunoperoxidase technique and flow cytometry	445
M. LIANCE, S. BRESSON-HADNI, J. P. MEYER, R. HOUIN & D. A. VUITTON: Cellular immunity in experimental <i>Echinococcus multilocularis</i> infection. I. Sequential and comparative study of specific <i>in vivo</i> delayed-type hypersensitivity against <i>E. multilocularis</i> antigens in resistant and sensitive mice	373	Y. OKUBO, Y. TSUKADA, A. MAEZAWA, K. ONO, S. YANO & T. NARUSE: FK506, a novel immunosuppressive agent, induces antigen-specific immunotolerance in active Heymann's nephritis and in the autologous phase of Masugi nephritis	450
S. BRESSON-HADNI, M. LIANCE, J. P. MEYER, R. HOUIN, J. L. BRESSON & D. A. VUITTON: Cellular immunity in experimental <i>Echinococcus multilocularis</i> infection. II. Sequential and comparative phenotypic study of the periparasitic mononuclear cells in resistant and sensitive mice	378	C. ARITA, T. HOTOKEBUCHI, H. MIYAHARA, K. ARAI, Y. SUGIOKA & N. KAIBARA: Inhibition by FK506 of established lesions of collagen-induced arthritis in rats	456
C. TROLLMO, H. CARLSTEN & A. TARKOWSKI: Intra-articular immunization induces strong systemic immune response in humans	384	J. WOO, D. J. PROPPER, A. M. MACLOED & A. W. THOMSON: Influence of FK506 and cyclosporin A on alloantibody production and lymphocyte activation following blood transfusion	462
J. A. BRIEVA, L. M. VILLAR, G. LEORO, J. C. ALVAREZ-CERMEÑO, E. ROLDÁN & P. GONZALEZ-PORQUÉ: Soluble HLA class I antigen secretion by normal lymphocytes: relationship with cell activation and effect of interferon-gamma	390	J. C. CHUANG, C. L. YU & S. R. WANG: Modulation of lymphocyte proliferation by enzymes that degrade amino acids	469
N. OUDRHIRI, J. P. FARCET, M. F. GOURDIN, E. M'BEMBA, PH. GAULARD, A. KATZ, M. DIVINE, A. GALAZKA & F. REYES: CD3-T cells receptor modulation is selectively induced in CD8 but not CD4 lymphocytes cultured in agar	396	H. KOHDA, C. SEKIYA, M. KANAI, Y. YOSHIDA, T. UEDE, K. KIKUCHI & M. NAMIKI: Flow cytometric and functional analysis of mononuclear cells infiltrating the liver in experimental autoimmune hepatitis	473
M. HAAK-FRENDSCHO, T. A. WYNN, C. J. CZUPRYNSKI & D. OAULNOCK: Transforming growth factor- β 1 inhibits activation of macrophage cell line RAW 264.7 for cell killing	404	M. DE LA MATA, A. MEAGER, N. ROLANDO, H. M. DANIELS, K. T. NOURI-ARIA, A. K. J. GOKA, A. L. W. F. EDDLESTON, G. J. M. ALEXANDER & R. WILLIAMS: Tumour necrosis factor production in fulminant hepatic failure: relation to aetiology and superimposed microbial infection	479
K. BIERKE & P. BRANDTZAEG: Terminally differentiated human intestinal B cells. J chain expression of IgA and IgG subclass-producing immunocytes in the distal ileum compared with mesenteric and peripheral lymph nodes	411	R. KARTTUNEN, G. ANDERSSON, K. POIKONEN, T. U. KOSUNEN, T. KARTTUNEN, K. JUUTINEN & S. NIEMLÄ: <i>Helicobacter pylori</i> induces lymphocyte activation in peripheral blood cultures	485
E. ROUSSEL, J. M. GERRARD & A. H. GREENBERG: Long-term cultures of human peripheral blood lymphocytes with recombinant human interleukin-2 generate a population of virtually pure CD3 ⁺ CD16 ⁻ CD56 ⁻ large granular lymphocyte LAK cells	416	R. P. STURGESS, J. C. MACARTNEY, M. W. MAKGOBA, C.-H. HUNG, D. O. HASKARD & P. J. CICLITIRA: Differential upregulation of intercellular adhesion molecule-1 in coeliac disease	489
		N. TSUCHIYA, G. HUSBY & R. C. WILLIAMS: Antibodies to the peptide from the plasmid-coded <i>Yersinia</i> outer membrane protein (YOPI) in patients with ankylosing spondylitis	493
		A. M. M. MILTENBURG, J. M. VAN LAAR, P. DE KUIPER, M. R. DAHA & F. C. BREEDVELD: Cytolytic activity in T cell clones derived from human synovial rheumatoid membrane: inhibition by synovial fluid	499

S. MENDELOVIC, R. SEGAL, Y. SHOENFELD & E. MOZES: Anti-DNA idiotypic- and anti-idiotypic-specific T cell response in patients with systemic lupus erythematosus and their first-degree relatives	504	FUKUDA, M. MATSUNAGA, K. ITO & S. NAGATAKI: Cytokine regulation of HLA on thyroid epithelial cells	548
P. D. KATZIKIS, P. Y. YOUINO, V. GALANOPOULOU, N. M. PAPADOPOULOS, A. G. TZIOUFAS & H. M. MOUTSOPOULOS: Monoclonal process in primary Sjögren's syndrome and cross-reactive idiotypic associated with rheumatoid factor	509	B. S. ZWILLING, R. DARROW, M. MCPEEK, H. LAUFMAN & D. PEARL: HLA class II glycoprotein expression by monocytes from HIV-infected individuals: differences in response to interferon-gamma	553
T. CAVALLO & N. A. GRANHOLM: Lipopolysaccharide from Gram-negative bacteria enhances polyclonal B cell activation and exacerbates nephritis in MRL/lpr mice	515	P. J. CONVERSE, T. E. FEHNIGER, A. EHRNST, Ö. STRANNEGÅRD & S. BRITTON: Immune responses to fractionated cytomegalovirus (CMV) antigens after HIV infection. Loss of cellular and humoral reactivity to antigens recognized by HIV ⁻ , CMV ⁺ individuals	559
K. IMAOKA, Y. KANA, Y. YOSHIKAWA & K. YAMANOUCHI: Temporary breakdown of immunological tolerance to dsDNA and nucleohistone antigens in rabbits infected with rinderpest virus	522	J. T. DOUGLAS, D. S. HIRSCH, T. T. FAJARDO, L. S. GUIDO & P. R. KLAUSTER: Serological monitoring of previously treated lepromatous patients during a course of multiple immunotherapy treatments with heat-killed <i>Mycobacterium leprae</i> and BCG	567
L. ROZENDAAL, S. T. PALS, E. GLEICHMANN & C. J. M. MELIEF: Persistence of allospecific helper T cells is required for maintaining autoantibody formation in lupus-like graft-versus-host disease	527	F. N. BOCTOR & J. B. PETER: IgG subclasses in human chronic schistosomiasis: over-production of schistosome-specific and non-specific IgG4	574
M. MIHARA, H. FUKUI, Y. KOISHIHARA, M. SAITO & Y. OHSUGI: Immunologic abnormality in NZB/W F1 mice. Thymus-independent expansion of B cells responding to interleukin-6	533	O. POS, M. E. VAN DER STELT, G.-J. WOLBINK, M. W. N. NIJSTEN, G. L. VAN DER TEMPEL & W. VAN DIJK: Changes in the serum concentration and the glycosylation of human α 1-acid glycoprotein and α 1-protease inhibitor in severely burned persons: relation to interleukin-6 levels	579
S. A. McMILLAN, C. A. GRAHAM, P. J. HART, D. R. HADDEN & T. A. McNEILL: A T cell receptor beta chain polymorphism is associated with patients developing insulin-dependent diabetes after the age of 20 years	538	B. BROOKS, K. CHAPMAN, J. LAWREY, A. MEAGER & R. C. REES: Suppression of lymphokine-activated killer (LAK) cell induction mediated by interleukin-4 and transforming growth factor- β 1: effect of addition of exogenous tumour necrosis factor-alpha and interferon-gamma, and measurement of their endogenous production	583
H. A. M. VOORBY, P. H. M. JEUCKEN & H. A. DREXHAGE: A delayed-type hypersensitivity skin-test system using the insulinoma cell line RINm5F to monitor beta cell-specific cellular autoimmune reactivity in the spontaneously diabetic BB/O rat	542	T. TAKAHASHI, K. IMAI, T. SUGIYAMA, T. SASAKI & A. YACHI: Preparation of anti-T idiotypic monoclonal antibody reacting with human T leukaemic cell lines and with a small percentage of peripheral T lymphocytes	590
K. MIGITA, K. EGUCHI, T. OTSUBO, A. KAWAKAMI, H. NAKAO, Y. UEKI, C. SHIMOMURA, A. KURATA, T.			

